

CUMULATIVE INDEX 1995

Volume 39

January	TRAUMATIC INJURIES TO TEETH, pages 1-231
April	OCCLUSION, pages 233-485
July	MEDICAL EMERGENCIES IN THE DENTAL OFFICE, pages 487-694
October	DENTAL CARE FOR THE PRESCHOOL CHILD, pages 695-930

Note: Page numbers of article titles are in **boldface** type.

- Abdominal thrusts, for airway obstruction, 553
- Abused patient, **621-635**
 - child, 627-634. See also *Child abuse*.
 - elder, 626-627
 - spouse, 622-626. See also *Spouse abuse*.
 - underreporting of, reasons for, 622
- Acetaminophen, for temporomandibular disorders, 461
- Adenoid facies, with mouth breathing, 857
- Adhesive procedure, in restoration of anterior crown fracture, 187-188
- AIDS, transmission by tissue fluid, 638
- Airway compromise, in major allergic reaction, 581
- Airway obstruction, abdominal thrusts for, 553
 - causes of, 551
 - complete, definition of, 541-542
 - emergency airway for, 552
 - Heimlich maneuver for, 552
 - partial vs complete, 551
 - respiratory emergencies in, 550-554
- Albuterol, for emergency asthma therapy, 518
 - for severe asthma, 545
- Alcohol, toxicity of, 614-616
- Allergic reactions, drugs, doses, and routes of administration for, 583
 - immediate, management of, **577-586**
 - pathophysiology and treatment rationale, 579-584
 - major reactions (anaphylactoid), 581-582
 - minor reactions, 580
 - refractory cases, 582-584
 - prevention of, 578-579
 - signs and symptoms of, 580
 - to dental materials, 642
 - treatment algorithm for, 584
- Allergy, definition of, 596
 - pathogenesis of, 577-578
- Alopecia, traumatic, in child abuse, 631
- Alveolus, fractures of, **113-131**
 - diagnosis of, 115-116
 - epidemiology of, 114
 - maxillary, 118-119
 - treatment of, 116
- Amalgam, for tooth restoration, 359-360
- Ambu bag, for emergency oxygenation, 509-510
- American Academy of Pediatric Dentistry, oral health policies of, for preschool children, 880
- Aminoglycosides, nephrotoxicity with, 608
 - ototoxicity with, 608
- Aminophylline, for chronic obstructive pulmonary disease, 547
- Ammonia, aromatic, for emergency syncope therapy, 516-517
- Analgesics, for temporomandibular disorders, 460-462
- Anaphylaxis, definition of, 578
 - epinephrine for, 513
 - pathophysiology and treatment rationale for, 581-582

- Anemia, aplastic, with chloramphenicol, 608
with aspirin, 612
- Anesthesia (anesthetics), allergic reactions to, 578-579
and cardiac risk, 555
general. See *General anesthesia*.
local, contraindications to, 597
drug interactions involving, 604
maximum doses of, 598
overdose of, 597-600
management of, 600
pathophysiology of, 599
signs and symptoms of, 599
provider of, emergency cardiac care and, 685-686
warnings for dental practitioners, 678
- Angina, nitroglycerin for, 514-516
- Ankyloglossia, in preschool children, 843
- Antecubital fossa, variation of anatomy in, 503
- Anterior bite plane, appliance for, 406
- Anterior bite plate, 369
- Anterior open bite, with
temporomandibular disorders, 290
- Anterior partial-coverage appliances,
advantages and disadvantages of, 408
- Anterior positioning, orthodontic
appliances for, 368
- Antibiotics, allergic reactions to, 609
interaction with oral contraceptives, 609
toxicity of, 606-609
- Anticoagulation therapy, and hemostasis, 656
- Antidepressants, tricyclic, interactions with
vasoconstrictor in local anesthesia, 603-606
- Antiepileptic drugs, 572
- Anti-inflammatory steroids, for
temporomandibular disorders, 462
- Antiplatelet drugs, use in stroke patient, 569-570
- Anxiety, definition of, 523
dental, 523-539
diagnosis and management of, 525
emergencies related to, key questions in, 524
hyperventilation in, 531-536. See also *Hyperventilation*.
psychodynamic factors in, 524
syncope in, 525-531. See also *Vasodepressor syncope*.
- Aphthous ulceration, recurrent, in
preschool children, 847-848
- Appliance therapy, for thumb sucking, 855
- Arch bar splints, construction of,
instruments and materials for, 121
- Arch wire splinting, of avulsed tooth, 104-105
- Arthrography, for occlusal analysis, 392
- Articular disc, centric relation dissection of, 346
- Articular eminence, inclination of, 262-263
- Articulator(s), 257-284
adjustability of, 276-277
and mandibular size, 269-273
attachment of mechanical pantograph to, 325
centric position of, 278-279
clinical considerations with, 283-284
clinical procedures with, 261-262
condylar excursive movements on, 279-281
condylar positioning in, discrepancies in, 272-273
for maxillary occlusal bite plane splint fabrication, 425-427
function of, 275-278
incisal guidance on, 273-275, 282-283
programming of, 278
transfer of mandibular movement to, 278
- ASA physical status classification, dental
therapy modification for, 678
- Aspirin, contraindications to, 612
effect on platelet aggregation/bleeding, 611
for temporomandibular disorders, 461
overdose of, signs and symptoms of, 613
toxicity of, 611-613
- Assaults, and tooth trauma, 6
- Asthma, emergency treatment of, 518
respiratory emergencies in, 543-546
severe, signs and symptoms of, 544
steps in treatment of, 546
- Asystole, pediatric cardiovascular
resuscitation for, 673
- Atropine, for pediatric cardiovascular
resuscitation, 671
- Attachment damage, sequelae of, 93-97
- Attention-getting, in preschool child, 780-781
- Autocoids, release of, in allergy, 577-578
- Aversive domain, of preschool child,
behavior management in, 773
- Avoidance pattern, with occlusal
interference, 316-317
- Avulsed tooth, clinical management of, 93-112. See also under *Tooth (teeth)*.
- Baby bottle tooth decay, policies/
programs for, 880

- Balancing, in occlusal adjustment, 450, 456
 Barbiturates, toxicity of, 613
 Battery, legal charge of, with emergency treatment of trauma, 204
 Behavior, changes in, for dental caries prevention in children, 717-718
 management of, in preoperative children, 789-816
 in preschool child, 771-787
 Benign tumors, soft-tissue, in preschool children, 844-845
 Benzodiazepines, for emergency seizure therapy, 518-519
 toxicity of, 613-614
 Beta-agonist, for chronic obstructive pulmonary disease, 547
 for severe asthma, 544-545
 Beta-blockers, interactions with vasoconstrictor in local anesthesia, 603-606
 Biofeedback, external, for temporomandibular disorders, 474-476
 Bite splint(s), 403-421
 concepts of, 404-407
 full coverage with, 404
 partial coverage with, 404-407
 stabilization with, indications for, 407-410
 Bleeding, disorders of, laboratory values in, 656
 emergencies in, 657-662
 following dental extraction, 660-662
 Blood glucose, variables that decrease, 591
 variables that increase, 589
 Bone, burnishing of, for hemostasis, 661
 marginal loss of, with extrusive luxation, 88
 recontouring of, for tooth fracture, 174
 Bone wax, for hemostasis, 658
 Bradycardia, with pulse, pediatric cardiovascular resuscitation for, 673
 Bradydysrhythmias, in dental practice, 561-562
 Bridge, anterior, traumatic fracture of, 197-199
 loosening of, repeated, 314
 Bronchodilator, inhaled, technique of administration, 518
 Bronchospasm, in acute allergic reaction, 583
 Bruxism, and maxillofacial growth and development, 857-858
 and muscle disorders, 295
 and temporomandibular disorders, 292-294
 identification of, 348-351
 maxillary occlusal prosthesis for, 350-251
 occlusal adjustment for, 443, 458
 severe, dental effects of, 337
 stabilization appliance for, 407-408
 with occlusal interference, 246, 317
 Bupivacaine, maximum dose of, 598
 Burns, in child abuse, 631
 Calcium chloride, for pediatric cardiovascular resuscitation, 672
 Calcium hydroxide, conditioning with, for complicated crown fractures, 42-43
 for dentin fracture, 35-36
 Candidiasis, in preschool children, 848
 Canine tooth, primary, resin-modified glass-ionomer restoration of, 749
 stainless steel crown for, 755-756
 Cardiac care, acute, in dental practice, 555-565
 emergency, 677-688. See also *Emergency cardiac care*.
 Cardiac irregularities, with tricyclic antidepressants, 605
 Cardiopulmonary arrest, pediatric, 664-666
 Cardiopulmonary resuscitation, dentist licensure requirements for, 683
 Cardiovascular events, in diabetics, 590
 Cardiovascular resuscitation, pediatric, clinical, 672-675
 asystole, 673
 bradycardia with pulse, 673
 pulseless electrical activity, 673
 pulseless ventricular tachycardia, 673-674
 ventricular fibrillation, 673-674
 pharmacologic measures for, 670-672
 atropine, 671
 calcium chloride, 672
 epinephrine, 670-671
 lidocaine, 672
 sodium bicarbonate, 672
 Caries risk model, 712-714. See also *Dental caries*.
 Central incisor(s), enamel defect of, following trauma, 161
 fracture of, porcelain veneer restoration of, 191
 reattachment of, 186-187, 189
 with lingual lateral luxation, 148
 intruded, in children, 139-142, 145
 lingual eruption of, with overretained primary incisor, 164
 lingual shearing fracture of, 147
 luxation injury of, 81-82
 trauma to, in children, sequelae of, 157
 traumatic chipping of, 184

- Centric(s) (centricity), 233-243
 assumptions about, 238
 clinical concerns about, 240
 freedom in, 236-237, 442
 historical aspects of, 234-235
 locating and recording, 236
 mandibular, 234
 occlusion in, 235-236
 point, 237-238, 241
 transverse horizontal axis, 235
- Centric forces, axial direction of, with
 occlusal adjustment, 444
- Centric occlusion, 241, 243-244
 analysis of, 387
 definition of, 244
- Centric relation, 239
 analysis of, 386
 and maximum intercuspation, 258-259
 and prosthodontics, 317-320
 as functional border position, 238-239
 conceptual changes in, significance of,
 243
 definitions of, 241-243
 guidance into, 239
 in articulator, 278-279
 in occlusal adjustment, 453-455
 location of, 238
 magnetic resonance imaging of, 347
 obsolescence of, 241-243
 pantographic tracing of, 318
 strained vs unstrained, 239
- Cerebrovascular accident, 568-570. See
 also *Stroke*.
- Chest pain, in dental practice, 556-559
 acute treatment of, 558-559
 differentiation of, 557-558
 possible diagnoses of, 556-557
 recognition of, 556
- Chewing cycle, mandibular movement in,
 267
 pantographic tracing of, 324
- Child(ren), advocacy for, political process
 of, 704-706
 high caries risk in, options for, 723-724
 orofacial trauma in, 133-167. See also
Orofacial trauma.
 preschool, abuse of, 821
 restraint of, policies/programs for, 881
 social conditions of, as dental practice
 consideration, 861-862
- Child abuse, 627-634
 and misbehavior, in preschool child,
 781-782
 assessing fractures in, 630-632
 etiology of, 627-628
 factors in, 628
 history and epidemiology of, 627
 Munchausen's syndrome by proxy and,
 630
 neurologic findings in, 632-633
 physical indicators of, 629-630
 recognition of, 628-630
 reporting requirements for, 633-634
 sexual, findings in, 633
- Child neglect, physical indicators of, 629
- Chloral hydrate, for child sedation, 804,
 808-809
- Chloramphenicol, aplastic anemia with,
 608
- Chlorpromazine, for child sedation, 805
- Christensen's phenomenon, 263
- Chronic obstructive pulmonary disease,
 exacerbations of, causes of, 547
 respiratory emergencies in, 546-548
 steps in treatment of, 548
- Circulatory compromise, in child,
 treatment of, 669-670
- Clenching, identification of, 348-351
 maxillary occlusal prosthesis for,
 350-351
 with occlusal interference, 246
- Cluster headache, in temporomandibular
 disorders, 397
- Coagulation cascade, 651
- Coagulation disorders, in defects of
 hemostasis, 653
- Cocaine, chronic abuse of, signs and
 symptoms of, 611
 interactions with anesthesia, 610-611
 toxicity of, 609-611
- Codeine, allergic reactions to, 579
- Cold, for temporomandibular disorders,
 469-470
- Colitis, pseudomembranous, with
 antibiotics, 607
- Collagen, for hemostasis, 658
- Collisions, and tooth trauma, 5-6
- Composite resin(s), for tooth restoration,
 356-358
 inlays/onlays of, 358-359
 placement, finishing, and polishing of,
 188
 shade selection for, 185-186
 wear of, localized, 357
 patterns and rates of, 356
 proximal, 357-358
- Computed tomography, for occlusal
 analysis, 392-393
- Concussion injury(ies), 21-22
 in children, 137-138, 823
 luxation injury with, 82-83
 sequelae of, 86
- Condyle, centric relation dissection of, 346
 displacement of, and trauma from
 occlusion, 341
 excursive movements of, on articulator,
 279-281

- fractures of, bilateral, tooth injuries
 - with, 125-126
 - treatment of, nonsurgical, 121
- horizontal inclinations of, significance of, 279
- position changes of, and
 - temporomandibular disorders, 366
- working, 265-266
 - occlusal surface in relation to, 271
 - occlusal view of, 269
 - shifts in, 268
- Congestive heart failure, physical signs of, 549
- Contacts. *See Occlusal contacts.*
- Cooperation, definition of, 771
- COPD, respiratory emergencies in, 546-548
- Corticosteroids, for temporomandibular disorders, 462
- Coxsackievirus infection, soft-tissue, in preschool children, 847
- Cranial nerve damage, with
 - aminoglycosides, 608
- Craniofacial growth, habits affecting, 851-852
- Crossbite, maxillary lingual, unilateral, with temporomandibular disorders, 291
 - rules for, in occlusal adjustment, 451-453
- Crown(s), fractures of, 25-51
 - classification of, 28
 - clinical assessment of, 26-28
 - in children, 146-147, 821-822
 - infractures, 29
 - of anterior teeth, dentin exposure
 - with, 183-190
 - pulp exposure with, 190-194
 - restorative technique for, 185-190
 - shade selection, 185-186
 - tooth preparation, 186-187
 - of enamel, 29-31
 - pulp protection following, 27-28
 - reattachment of, 40-41
 - subgingival, management of, 169-179
 - treatment considerations in, 28
 - with pulpal exposure, 41-46
 - injury to, 18, 20-21
 - lengthening of, for tooth fracture, 172-174
 - stainless steel, occlusal surface repair of, in preschool children, 767
- Crown restoration, anterior, traumatic fracture of, 197-199
 - in preschool children, adhesively bonded full-resin composite, 748-753
 - filled resin bonded to stainless steel, 752-754
 - filled resin veneer, 756
 - glass-ionomer silver-cermet cement, 756-759
 - porcelain fused to cast metal, 748-753
 - resin-composite, 750-752
 - resin-modified glass-ionomer, 748
 - stainless steel, 755-756
- Crown-root fracture(s), 46-47
 - in children, 147-148
- Cryoprecipitate, for hemostasis, 659
- Cryotherapy, for temporomandibular disorders, 469-470
- Curve of Spee, steep, adjustments for, 327
- Cusps, fracture of, lateral deflection and, 340
- Cyanosis, in respiratory distress, 542
- Damages, in lawsuit against dentist, 216-218
- Deep heat, for temporomandibular disorders, 469
- Dehydration, with hyperglycemia, 589
- Delivery systems, for preschool children, 897-907
- Deltoid muscle, intramuscular injection into, 504
- Demerol, for child sedation, 805
- Denar articulator, 277
 - condylar movement simulation on, 280-281
 - for maxillary occlusal bite plane splint fabrication, 426
- Dental caries, as pathologic process, 721-724
 - in children, 696, 709-719
 - and need for dental care, 888-889
 - degree of difficulty, 699-701
 - nursing, 699, 710, 717
 - prevention of, 714-718
 - risk assessment, 709-714
 - clinical decision making, 710
 - independent factors, 710-712
 - models for, 712-714
 - time-line of, 698
 - in mixed dentition, 700
 - risk assessment for, anticipatory guidance in, 734-735
 - caries rate and intensity, 728-730
 - case planning and management according to, 721-736
 - long-term treatment in, 727-728
 - medical approach to, 721-724
 - aggressive repair vs disease management, 723-724
 - decision making, 722-723
 - outcome assessment in, 734

- Dental caries (*Continued*)
 restoration to stabilize dentition, 732-734
 success of caries process management, 730-732
 tailoring treatment to urgency, 728
 targeting care to risk, 721
 treating caries before cavities, 730
 triage in, 724-727
 case history, 726-727
 interventions for, 726-727
 patient classification, 724-726
 treatment of, historical approach to, 724
 Dental contacts. *See Occlusal contacts.*
 Dental disease, prevention of, 695
 Dental extraction, bleeding following, 660-662
 Dental health, in preschool child, 695-707
 changes in, 696-697
 long-term trends in, 697-699
 starting early, 697
 Dental insurance, for preschool children, 892-894
 Dental materials, disease transmission by, 641-644
 Dental practice considerations, 861-875
 departmentalization, 870-873
 business monitoring, 872
 clinical systems inventory, 873
 overhead summary, 874
 infant oral health, 864-865
 informed consent, 863-864
 marketing, 865-867
 office features, 869-870
 parenting adult, 863
 practice management, 869
 regulated responsibilities for dentist, 862-863
 social conditions of children, 861-862
 total quality management, 867-869
 Dental pulp, exposure of, with anterior crown fracture, 190-194
 healing capacity of, 33
 necrosis of, following transverse root fracture, 63
 following trauma, in children, 156
 sequelae of, 93-97
 obliteration of, following transverse root fracture, 61
 following trauma, in children, 158
 protection of, in crown fracture, 32, 187-188
 sensitivity of, trauma from occlusion and, 394-395
 viability of, following dentin fracture, 39
 vitality of, with crown fracture, 170, 190
 Dental services, preschool children's need and use of, 887-896
 Dental surgery, hemostasis for, 649-662
 Dental treatment, psychosomatic arousal during, 524
 Dental visit(s), by preschool children, 891-892
 first, policies/programs for, 879
 Dentin, acid etching of, for fracture repair, 37
 exposure of, with anterior crown fractures, 183-190
 fractures of, 32-41
 clinical management of, 34-41
 new concepts and approaches, 36-41
 traditional approach, 35-36
 restoration of, 34
 anesthesia for, 38
 recommendations for, 37-40
 sealing from microbial invasion, 33
 Dentina tubules, fracture exposure of, 32
 Dentist, as expert witness, 213-216
 as ontological coach, 785-786
 regulated responsibilities for, as dental practice consideration, 862-863
 Dentoalveolar ankylosis, with attachment damage and pulp necrosis, 94-95
 Denture, for avulsed/fractured tooth replacement, 197
 Departmentalization, as dental practice consideration, 870-873
 Deposition, by expert witness, 213
 Deprogrammer, for occlusal trauma differential diagnosis, 344
 for occlusal trauma management, 348
 Desmopressin acetate, and hemostasis, 657
 Diabetic coma, with hyperglycemia, 589
 Diabetic patient, emergency management of, 587-594
 special problems in, 593
 Diagnostic casts, mounted, for occlusal analysis, 389
 Diarrhea, with antibiotics, 608
 Diazepam, for child sedation, 805, 808-809
 for emergency seizure therapy, 518-519
 interactions with vasoconstrictor in local anesthesia, 604-605
 Dietary modification, for dental caries prevention in children, 715-716
 Digit sucking, effects of, 853-855
 Dilaceration, of permanent tooth, following trauma to primary dentition, 161-162
 Diphenhydramine, for emergency allergic reaction therapy, 520
 Disarticulation, patterns of, 259
 Disclusion, dental factors in, 259-261
 with occlusal plane changes, 265

- Disease, airborne transmission of, 640-641
transmission by tissue fluid, 637-640
- Disking tooth structure, in preschool children, 744-745
- Displacement injury, of teeth, 22
- Distraction, of preoperative child, in dental care, 797
- Domestic violence, and tooth trauma, 2
- Drug interactions, definition of, 596
- Drug therapy, emergency, 501-521. See also *Emergency drug therapy*.
- Dyspnea, definition of, 541
in dental practice, 559-560
- Eagles syndrome, in temporomandibular disorders, 398
- Early and Periodic Screening, Diagnosis, and Treatment program, and oral health of preschool children, 882-883
- Education, for dental caries prevention in children, 717-718
- Elder abuse, 626-627
- Electrical activity, pulseless, pediatric cardiovascular resuscitation for, 673
- Electrostimulation, for temporomandibular disorders, 473-475
- Ellis classification, of traumatized anterior teeth, 182
- Emergency(ies), basic treatment measures in, 488
bleeding, 657-662
documentation of, 498
emergency department management of, 497
history in, 494
immediately life-threatening problems in, 490-493
levels of illness in, 489
likely illnesses in, 488
medical, assessment of, 487-499
need to transfer patient, 496-497
preparedness for, 487-488
recognition of, 489
respiratory, 541-554
resuscitation scheme for, 490-496
airway assessment in, 493
breathing assessment in, 493
circulatory assessment in, 493-494
definitive care, 496
disability assessment in, 494
primary survey, 490-495
re-evaluation, 496
secondary survey, 495-496
serious signs and symptoms in, 490
thinking about, 487
vital signs in, 490
- Emergency cardiac care, 677-688
and anesthesia provider, 685-686
essentials of, 678
ethical issues in, 683-684
legal issues in, 681-683
moral issues in, 680-681
preparedness for, 679-681
prevention of, 679
total concept in, 679
- Emergency drug therapy, 501-521
airway accessories, 508-513
pharmacologic agents for, 513-520
administration of, 508
albuterol inhaler, 518
aromatic ammonia, 516-517
benzodiazepines, 518-519
diphenhydramine, 520
epinephrine, 513-514
glucagon and sugar, 517-518
hydrocortisone, 520
nifedipine, 516
nitroglycerin, 514-516
routes of administration, 502-508
inhalational, 507
intralingual injection, 505
intramuscular, 504-505
intravenous, 502-504
oral, 506-507
rectal, 507
subcutaneous, 506
sublingual, 507
submental injection, 506
- Emergency kit, assembly of, 501-502
essential components of, 508
- Emergency Tooth Preserving System, 99
- Enamel, defects of, with injury to developing dentition, 159-160
fractures of, 29-31
of anterior teeth, 183
wear of, with composite resin, 359
- Enamel hypoplasia, with traumatic injuries, in preschool children, 833
- Endodontic treatment, for tooth fracture, 176
complicated crown, 44-45
crown-root, 46
transverse root, 62
of avulsed tooth, 106-108
reason for, 4
- Epilepsy, 570-574
management of patient with, 572-573
- Epinephrine, for emergency anaphylaxis/
laryngeal edema therapy, 513-514
for hypoglycemia, 592
for major allergic reaction, 581
for pediatric cardiovascular resuscitation, 670-671
for severe asthma, 545
in local anesthesia, overdose of, 600-603

- Epsilon aminocaproic acid, and hemostasis, 657
- Eruption cyst, in preschool children, 845-846
- Erythromycin, drug interactions with, 608-609
- Etidocaine, maximum dose of, 598
- Exarticulation injuries, in children, 143 splinting of, 145-146
- Excursions, condylar, on articulator, 279-281
 - guidance of, by stabilization appliance, 411
 - in occlusal adjustment, 453
- Exercises, therapeutic, for temporomandibular disorders, 470-472
- Expert witness, dentist as, 213-216
 - qualifications of, 214
 - questions asked of, 215-216
- Extraction, for crown-root fracture, 46
 - for tooth fracture, 178
- Extramuscular injections, for temporomandibular disorders, 464-465
- Extrusion, orthodontic, for crown-root fracture, 46
 - for tooth fracture, 174-177
- Extrusion injury(ies), 22
 - in children, 141-142
 - luxation, and tooth injury, 83-84
 - sequelae of, 87
- Face mask, for emergency oxygenation, 509-510
- Facebows, for articulator, 270, 273
- Facial bones, fractures of, 113-131
 - classification and mechanism of, 114
 - epidemiology of, 114
 - etiology of, 115
 - incidence and frequency of, 115
- Factitial injuries, in preschool children, 849
- Factor replacement, for hemostasis, 659
- Failure to diagnose, patient compensation for, 210
- Falls, and tooth trauma, 5-6
- Familial factors, and dental caries in children, 712
- Family economics, and childhood dental care, 891
- Family structure, and childhood dental care, 890-891
- Fear(s), and misbehavior, in preschool child, 775-778
 - definition of, 523
- Fibrinolysis disorders, in defects of hemostasis, 653
- Fibroma, in preschool children, 845-846
- Fissured tongue, in preschool children, 843
- Fixed bridge, for avulsed/fractured tooth replacement, 197
- Fluid administration, for circulatory compromise in child, 669-670
- Fluoride, for dental caries prevention in children, 714-715
 - recommendations concerning, effect on preschool children, 879
- Fluorosis, in preschool children, and need for dental care, 890
 - risk of, control of, 715
- Food impaction, vertical, and inflammatory periodontal disease, 308
- Foreign body aspiration, and airway obstruction, 551
 - management of, 553
 - pediatric, 668
- Freedom in centric, 236-237
- Gastrointestinal discomfort, with aspirin, 612
- Gelfoam, for hemostasis, 658
- General anesthesia, in dentistry, Poswillo report on, 684
 - pediatric, for preschool child, 802
 - activities and responsibilities for, flow chart of, 807, 811
 - health assessment in, 811
 - patient monitoring in, 811, 813-814
 - patient selection criteria for, 807, 811
 - policies/programs for, 881
 - practitioner responsibilities for, 811
 - support personnel for, 811
 - sedation record for, 812-813
- General dentist, interaction with pediatric dentist, 701-703
 - management of children by, 702
 - protocols and policies for children, 703-704
- Geographic tongue, in preschool children, 843
- Gingiva, repositioning of, following transverse root fracture, 76-77
- Gingival fibromatosis, in preschool children, 843-844
- Gingivitis, and inflammatory periodontal disease, 302
 - in preschool children, 837-838
- Gingivostomatitis, herpetic, in preschool children, 846-847

- Glass ionomers, 741-742, 747-748, 759-762
 for complicated crown fractures, 42-43
 for dentin fracture lining, 38-39
 Glucagon, for hypoglycemia, 592
 emergency therapy of, 517-518
 Good samaritan statutes, and immunity from liability, 208
- Halcion, for child sedation, 805
 Hammer and anvil concept, for occlusal adjustment, 446, 448
 Hanau articulators, 277
 condylar movement simulation on, 280-281
 for maxillary occlusal bite plane splint fabrication, 426
 Hand-foot-and-mouth disease, in preschool children, 847
 Hanks Balanced Salt Solution, for emergency tooth preservation, 99
 Hard tissue, examination of, in occlusal analysis, 382
 Head start, and oral health of preschool children, 882
 Headache, in temporomandibular disorders, 397-398
 Heart failure, pulmonary edema in, emergency treatment of, 550-551
 Heat, for temporomandibular disorders, 466-469
 Heat-curing, of maxillary occlusal bite plane splint wax-up, microwave, 436-437
 traditional, 431-435
 Heimlich maneuver, for airway obstruction, 552
 Hemangioma, in preschool children, 844-845
 Hematologic diseases, in preschool children, 849
 Hematologic laboratory studies, normal, 655
 Hematoma, soft-tissue, in preschool children, 845-846
 Hemophilia, 653
 laboratory values in, 656
 Hemorrhage, with crown fractures, 146-147
 Hemostasis, and patient preparation for surgery, 656-657
 defects of, 652-654
 coagulation disorders, 653
 fibrinolysis disorders, 653
 platelet disorders, 652-653
 vascular disorders, 652
- definition of, 649
 for dental surgery, 649-662
 overview of, 650
 patient evaluation for, 654-656
 laboratory evaluation, 655-656
 medical history, 654
 physical evaluation, 654
 physiology of, 649-651
 stimulants to, 658
 Hemostatic materials, 658
 Heparin, use in stroke patient, 569
 Hepatitis virus, transmission by tissue fluid, 640
 Herpesvirus infection, soft-tissue, in preschool children, 846-847
 Hinge-type articulator, 276
 for maxillary occlusal bite plane splint fabrication, 427
 Histiocytosis X, and periodontitis, in preschool children, 842
 Human immunodeficiency virus, infection with, in preschool children, 849
 prophylaxis against, 639
 transmission by tissue fluid, 638
 Hydrocortisone, for emergency adrenal crisis therapy, 520
 Hydroxyzine pamoate, for child sedation, 804, 808-809
 Hyperglycemia, emergency management of, 587-594
 Hypertension, acute, in dental practice, 562-563
 perioperative, nitroglycerin for, 514-516
 symptomatic, nifedipine for, 516
 with epinephrine, 606
 Hypertensive crisis, with monoamine oxidase inhibitors, 605
 Hyperventilation, in dental anxiety, 531-536
 clinical management of, 534-536
 differential diagnosis, 535-536
 disposition and definitive treatment, 536
 evaluation, 535
 initial treatment, 536
 prevention, 534
 stabilization, 534-535
 clinical manifestations of, 533-534
 pathophysiology of, 532-533
 Hypnotics, toxicity of, 613-614
 Hypoglycemia, definition of, 590
 emergency management of, 517-518, 587-594
 Hypophosphatasia, and periodontitis, in preschool children, 842
 Hypotension, in dental practice, 563-564
 in major allergic reaction, 581
 orthostatic, with phenothiazines, 606

- Idiosyncrasy, definition of, 596
- Impetigo, in preschool children, 848
- Incisal guidance, on articulator, 273-275, 282-283
- Incisor(s). See also *Central incisor(s)*.
fractured, 171
crown lengthening for, 172-174
lateral, cervical fracture of, temporary restoration of, 195
maxillary, replantation of, 102
primary, prosthetic replacement of, 158
- Incisor(s), primary, avulsion of, 701
crown fracture of, 822
displacement of, 824
intrusion and re-eruption of, 826
porcelain fused to cast metal crown for, 753-755
resin-composite crown restoration of, 750-752
resin-composite veneer for, 757
resin-modified glass-ionomer restoration of, 748
root fracture of, 823
- Incompetence, charge of, in treatment of tooth trauma, 209-210
- Infant oral health, as dental practice consideration, 864-865
- Inflammatory resorption, with attachment damage and pulp necrosis, 96-97
- Informed consent, as dental practice consideration, 863-864
exceptions to, 207
in emergency dental treatment of trauma, 204-208
- Infractures, of tooth crown, 29
- Inhalation sedation, pediatric, 800
- Injections, for temporomandibular disorders, 463-465
- Insulin, timing of, in diabetic patient, 592-593
- Intercuspation, maximum, centric position and, 258-259
in stabilization bite splint case, 418
- Interferences, elimination of, with occlusal adjustment, 444
- Interocclusal appliances, concepts of, 404-407
designs of, 408
- Intracapsular disorders, occlusal condition and, 295-296
- Intramuscular injection(s), for temporomandibular disorders, 463-464
technique of, 505
- Intramuscular sedation, pediatric, 801
- Intravenous cannulation, technique of, for emergency drug therapy, 503-504
- Intrusion injury(ies), 22
in children, 138-139
- Intrusive luxation, and tooth injury, 85
sequelae of, 88-89
- Ketamine, for child sedation, 806, 808-809
- Ketoacidosis, with hyperglycemia, 589
- Laboratory evaluation, for hemostasis, 655-656
- Laryngeal edema, epinephrine for, 513
in acute allergic reaction, 583
- Lateral luxation, and tooth injury, 84-85
in children, 142-144
sequelae of, 87-88
- Laterotrusive angles, of mandibular movement, 264-269
- Latex, allergic reaction to, 579, 642
- Learned helplessness, in preschool child, 778
- Legal considerations, in treatment of tooth trauma, 203-219
- Leukemia, in preschool children, 849
- Lidocaine, for pediatric cardiovascular resuscitation, 672
maximum dose of, 598
- Life support, pediatric, advanced, asystole/pulseless arrest decision tree for, 673
bradycardia decision tree for, 671
drugs used in, 664
- Linguistic domain, of preschool child, behavior management in, 774-775
- Lip habits, and maxillofacial growth and development, 858
- Loop ligature, for facial fractures, construction of, 123
- Lower lip, soft-tissue injury of, in preschool child, 820
- Luminex System, for root reinforcement, 194
- Luxation injury(ies), 79-91
calcific metamorphosis with, 163
classification of, 81-82
concussion, 82-83
extrusive luxation, 83-84
intrusive luxation, 85
lateral luxation, 84-85
subluxation, 83
clinical presentation and treatment of, 82-85
epidemiology of, 79-81

- in children, 137-146
 - splinting of, 145-146
 - sequelae of, 85-89
 - with mandibular fractures, 125
- Lymphangioma, in preschool children, 845
- Magil intubation forceps, for emergency oxygenation, 512-513
- Magnetic resonance imaging, for occlusal analysis, 392-394
- Malocclusion(s), definition of, 363
 - in preschool children, and need for dental care, 889-890
 - with inflammatory periodontal disease, treatment of, 309
- Malpractice, charge of, with emergency treatment of trauma, 204, 210
- Mandible, chewing cycle of, 267
 - excursions of, 385-386
 - fractures of, 113-131
 - dental injuries with, 124-128
 - incidence and severity of, 124-127
 - teeth on fracture line, 127
 - treatment and prognosis for, 127-128
 - diagnosis of, 116-117
 - treatment of, 117-124
 - first aid, 117-119
 - nonsurgical, 119-122
 - surgical, 122-124
 - lateral displacement of, muscle dysfunction with, 338
 - mediolateral width of, 271
 - movement of, border, 324-325
 - mediotrusive and laterotrusive angles, 264-269
 - symmetrical vs asymmetrical, 266
 - transfer to articulator, 278
 - orthopedic repositioning of, appliances for, 368-369
 - protrusion of, 385-386
 - size of, and articulator, 269-273, 281-282
 - stabilization splint for, 405
 - stationary point of, 270
 - tooth loss in, 5
- Marginal bone loss, with extrusive luxation, 88
- Marketing, as dental practice
 - consideration, 865-867
- Masseter muscle, anesthetic injection of, for temporomandibular disorders, 465
- Mast cells, release of, in allergic reaction, 577-578
- Mastication, cycle of, 268
 - mandibular movement during, 265, 268
- Masticatory system, 379-401
 - functional disorders of, occlusion and, 285-300
 - occlusal analysis of, components of, 380-389
 - classifying pain, 382-384
 - dental and occlusal contacts, 386-389
 - functional range of movement, 384-386
 - hard and soft tissue examination, 382
 - history, interview, and questionnaire, 380-382
 - mounted diagnostic casts, 389
 - differential diagnosis in, 394-395
 - form for, 380
 - indications for, 379-380
 - radiographic examination in, 389-394
 - arthrography, 392
 - computed tomography, 392-393
 - indications for, 390
 - magnetic resonance imaging, 392-394
 - panoramic, 390-391
 - techniques in, 390-394
 - tomography, 391
 - transcranial, 391
 - temporomandibular disorders in, 396-399
- Materials, disease transmission by, 641-644
- Maxilla, fractures of, 113-131
 - diagnosis of, 116-117
 - treatment of, 117-124
 - first aid, 117-119
 - nonsurgical, 119-122
 - surgical, 122-124
 - tooth loss in, 4
- Maxillary anterior teeth, retraction of, and temporomandibular disorders, 366
- Maxillary cast, orientation of, 274
- Maxillary lingual crossbite, unilateral, with temporomandibular disorders, 291
- Maxillary occlusal bite plane splint,
 - fabrication of, 423-439
 - articulators for, 425-427
 - splint wax-up for, 428-439
 - flasking of, 431-439
 - microwave heat-curing of, 436-437
 - self-cure acrylic for, 437
 - traditional heat-curing of, 431-435
 - visible light-curing of, 437-439
 - working cast for, 427
 - office procedure, 423-425
 - preparation of, 427-428
 - treatment and packing of, 424-425

- Maxillary occlusal prosthesis, for bruxism, 350-351
with posterior centric relation contact, 345
- Maxillary posterior composite pivot, mounted casts of, 407
- Maxillary stabilization appliance, 405, 419
criteria for, 412
- Maxillofacial growth and development, habits affecting, 851-860
- Medicaid, and oral health of preschool children, 882-883
- Medical emergency, assessment of, 487-499
- Medical records, as legal documents, 211-213
- Mediotrusive angles, of mandibular movement, 264-269
- Meperidine, for child sedation, 805, 808-809
- Mepivacaine, maximum dose of, 598
- Mercury toxicity, from dental restorations, 642
- Metabolic disorders, and periodontitis, in preschool children, 842
- Methylxanthine, for chronic obstructive pulmonary disease, 547
- Midazolam, for child sedation, 806, 808-809
for emergency seizure therapy, 518-519
- Migraine headache, in temporomandibular disorders, 397
- Minor, informed consent by, 207
- Misbehavior, in preschool child, origin of, 775-782
abuse/neglect, 781-782
attention-getting, 780-781
fears, 775-778
illness/trauma, 779
learned helplessness, 778
poverty, 779-780
prefigurative child, 780
- Misdiagnosis, following tooth trauma, 208-211
- Mixed dentition, caries in, 700
- Moist heat, for temporomandibular disorders, 467-468
- Molar(s), crossbite relationship between, in occlusal adjustment, 452
mandibular, axes of, occlusal view of, 272
crown-root fracture of, 149-150
occlusal adjustment of, 445
primary, occlusal caries of, glass-ionomer silver-cermet cement restoration of, 758
pit and fissure sealant for, 746
resin-modified glass-ionomer restorations of, 748, 759-762
stainless steel crown for, 762-767
zinc oxide/eugenol pulpotomy of, 762-767
- Monoamine oxidase inhibitors, interactions with vasoconstrictor in local anesthesia, 603-606
- Morphine, for pulmonary edema secondary to heart failure, 550
- Mouth breathing, and maxillofacial growth and development, 857
- Mouth protectors, for dental trauma prevention, 10-11
- Moving vehicle accidents, and tooth trauma, 6
- Mucocele, in preschool children, 845
- Munchausen's syndrome by proxy, and child abuse, 630
- Muscle(s), disorders of, occlusal condition and, 294-295
dysfunction of, and occlusal restoration, 315-317
fatigue of, with trauma from occlusion, 338-339
hyperactivity of, and temporomandibular disorders, 293
pain in, in temporomandibular disorders, 396
palpation of, in occlusal analysis, 383
splinting of, in temporomandibular disorders, 396
stretching of, for temporomandibular disorders, 471-472
tension in, with occlusal interference, 317
- Muscle contraction headache, in temporomandibular disorders, 397-398
- Muscle relaxants, for temporomandibular disorders, 462-463
- Myofunctional therapy, for tongue thrust, 856
- Narcotic analgesics, for temporomandibular disorders, 461-462
- Nasal cannula, for emergency oxygenation, 509
- Nasopharyngeal airway, for emergency oxygenation, 510-511
technique of placement of, 511-512
- Neglect, and misbehavior, in preschool child, 781-782
- Negligence, charge of, with emergency treatment of trauma, 205
expert witness regarding, 215
- Nephrotoxicity, with aminoglycosides, 608

- Neurologic emergencies, 567-575
- Neuromuscular system, effect of occlusal interference on, 316
- Neutropenia, and periodontitis, in preschool children, 839-841
- Nifedipine, for emergency hypertension therapy, 516
for pulmonary edema secondary to heart failure, 550
- Nitroglycerin, for emergency angina/hypertension therapy, 514-516
for pulmonary edema secondary to heart failure, 550
- Non-narcotic analgesics, for temporomandibular disorders, 460-462
- Nonsteroidal anti-inflammatory drugs, allergic reactions to, 579
for temporomandibular disorders, 461-462
- Nursing caries, 699, 710
management of, 717
- Obturation, of avulsed tooth, 107
- Occlusal adjustment, 441-458
follow-up of, 457-458
freedom in centric, 442
goals of, 443-444
history of, 441-442
indications for, 442-443
on molars, 445
prerequisites for, 444-446
rules and concepts for, 446-453
crossbite, 451-453
distal seat, mesial seat, 446-447
eccentric, 448-451
balancing, 450
protrusion, 451
working interference, 449
hammer and anvil, 446, 448
technique of, 453-457
balancing, 456
centric, 453-454
excursions, 453
working interference, 453-456
- Occlusal bite splint, patient information sheet on, 415
- Occlusal contacts, analysis of, 386-389
of stabilization appliance, 411
premature, and occlusal interference, 244
and trauma from occlusion, 336
- Occlusal factors, findings in healthy subjects, 289-290
findings in patient populations, 290-292
in temporomandibular disorders, 286-296
- Occlusal interference(s), 244-246
and muscle dysfunction, 315
and pseudo centric relation, 319
concept of, 320-321
definition of, 320
effect on neuromuscular system, 316
occlusal splint therapy for, 321-323
- Occlusal plane, 263-265
orientation on articulator, 281-282
- Occlusal prosthesis, maxillary, with posterior centric relation contact, 345
- Occlusal slide, and muscle hyperactivity, 320-321
with temporomandibular disorders, 291
- Occlusal support, loss of, 330
- Occlusal treatment, in periodontics, 305-309
- Occlusal wear, on bite splint, analysis of, 409
- Occlusion, adjustment to, 441-458. See also *Occlusal adjustment*.
analysis of, 379-401. See also *Masticatory system*.
for stabilization bite splint, 416, 418
and functional disorders of masticatory system, 285-300
and prosthodontics, 313-333
and restorative materials, 355-361
balanced, application to natural dentition, 235
biomechanics of, and articulator, 257-284
centric, 243-244
concepts of, restorative aspects of, 343-347
condition of, and intracapsular disorders, 295-296
dental factors of, 257-258
eccentric patterns of, 259-261
focus meeting concerning, 240-241
forces of, in prosthodontics, 330-331
ideal, 363
individualized, in prosthodontics, 326
maintenance of, in prosthodontics, 330-331
movements in, computer analysis of, 323
optimal, establishment of, 444
philosophy of, 233-255
plane of, 263-265. See also *Occlusal plane*.
principles of, in orthodontics, 363-378. See also *Orthodontics*.
restoration of, in prosthodontics, 326-331
materials for, 328-330
phases of, 314-315

- Occlusion (*Continued*)
 segmental approach to, 327, 329
 trauma from, periodontal concerns in, 301-311. See also under *Trauma*.
- Occupational health and safety measures, 637-647
- Odontogenic cysts, in preschool children, 845-846
- Odontoma, following trauma to primary dentition, 161-162
- Office features, as dental practice consideration, 869-870
- Ontological coach, dentist as, 785-786
- Open bite, and trauma from occlusion, 341
 anterior, with temporomandibular disorders, 290
 thumb sucking and, 855
- Opioids, allergic reactions to, 579
- Oral function, early, 852-853
- Oral habits, and craniofacial growth, 851-852
- Oral health policies/programs, effect on preschool children, 877-885
 baby bottle tooth decay, 880
 first dental visit, 879
 fluoride recommendations, 879
- Oral hygiene, following transverse root fracture, 58
- Oral sedation, of preoperative child, 799-800
- Orofacial trauma, evaluation of, considerations in, 16-17
 in children, evaluation of, 134
 history of injury, 135
 pain assessment in, 136
 prevalence, cause, and demographics in, 136-137
 radiographic examination of, 135
 types of, 17-23
- Oropharyngeal airway, for emergency oxygenation, 510-511
 technique of placement of, 511
- Orthodontic extrusion, following transverse root fracture, 66-67, 69, 72, 75-76
 for tooth fracture, 174-177
- Orthodontics, 363-378
 and occlusal appliance therapy, 367-376
 full-coverage, 367-368
 partial coverage, 368-369
 and temporomandibular disorders, 365-367
 occlusal adjustment following, 443, 457
 occlusal characteristics in, 364-365
- Osteosynthesis, for facial fractures, 122
- Otitis, in temporomandibular disorders, 398-399
- Ototoxicity, with aminoglycosides, 608
- Overbite, and inflammatory periodontal disease, treatment of, 309
- Overjet, with temporomandibular disorders, 291
- Oxygen, for severe asthma, 545
 in emergency kit, 508
- Oxygenation, emergency equipment for, 509
- Pain, classification of, in occlusal analysis, 382-384
- Palatal crib, for thumb sucking, 855
- Panoramic radiograph, for occlusal analysis, 390-391
 pretreatment, in stabilization bite splint case, 417
- Pantograph, centric relation tracing on, 318-319
 chewing pattern tracing on, 324
 mechanical, attachment to articulator, 325
 reproducibility index for, 323-324
- Panulis, following trauma, in children, 155
- Papillon-Lefevre syndrome, and periodontitis, in preschool children, 841-842
- Parafuction, and temporomandibular disorders, 292
 occlusal analysis of, 395
- Paranasal sinusitis, in temporomandibular disorders, 399
- Parental dimension, as dental practice consideration, 863
 in pediatric dentistry, 782-785
 informed consent and risk management, 782-783
 rules of game, 783-785
 in sedation, of preoperative child, 799
- Parulis, in preschool children, 845
- Patient satisfaction, as dental practice consideration, 868
- Pediatric airway, 666-668
 anatomy of, 666
 management of, 667-668
- Pediatric dentist, interaction with general dentist, 701-703
- Pediatric dentistry, parental dimension of, 782-785
 informed consent and risk management, 782-783
 rules of game, 783-785
 specialty of, 696
- Pediatric patient, resuscitation of, 663-676
- Pediatric sedation, agent and dosage selection, 802-803
 routes of administration of, 800-801

- Penicillins, allergic reactions to, 579
- Periapical radiolucency, following maxillary trauma, in children, 157
- Periodontal adjustment, following transverse root fracture, 66
- Periodontal disease, inflammatory, 301-311
causes of, 302
history of, 302
model of, 301-303
multifactorial origin of, 303
risk factor model of, 303
trauma from occlusion and, 304-305
- Periodontal pain, trauma from occlusion and, 394
- Periodontal problems, in preschool children, 837-850
and need for dental care, 889
gingivitis, 837-838
normal findings, 837
periodontitis and tooth loss, 838-842
- Periodontal tissues, injuries to, 8
- Periodontics, occlusal diagnosis for, 306-307
occlusal treatment in, 305-309
- Periodontitis, in preschool children, 838-842
histiocytosis X and, 842
hypophosphatasia and, 842
metabolic disorders and, 842
neutropenias and, 839-841
Papillon-Lefevre syndrome and, 841-842
- Peripheral cannulation, technique of, for emergency drug therapy, 503-504
- Permanent dentition, developing, injuries to, 159-164, 833-834
- Personality development, 771-787
- Pharmacologic management, of preoperative child, in dental care, 798-803
- Phenol, allergic reaction to, 643
- Phenothiazines, interactions with vasoconstrictor in local anesthesia, 603-606
- Physical agents, for temporomandibular disorders, 465-474
- Physical domain, of preschool child, behavior management in, 772-773
- Physical restraint, of preoperative child, 797-798
- Pivot appliances, advantages and disadvantages of, 408
- Plaque, control of, for dental caries prevention in children, 715-716
formation of, effect of fluoride on, 714-715
subgingival, and inflammatory periodontal disease, 303
- Platelets, disorders of, and defects of hemostasis, 652-653
for hemostasis, 659
- Poile's syndrome, and child abuse, 630
- Point centric, 237-238
relapse of, causes of, 241
- Poisoned patient, 595-619
- Polydipsia/polyuria, with hyperglycemia, 589
- Porcelain, fracture of, repair of, 197-200
- Porcelain teeth, for restoration, 355-356
- Porcelain veneers, for anterior tooth restoration, 190
- Posterior bite-plate, 369
- Posterior onlay appliance, mandibular, 406
- Posterior partial-coverage appliances, advantages and disadvantages of, 408
- Posterior teeth, missing, with temporomandibular disorders, 291-292
protrusive contacts on, and muscle hyperactivity, 321
- Poswillo report, on general anesthesia, sedation, and resuscitation in dentistry, 684
- Poverty, and misbehavior, in preschool child, 779-780
- Practice management, as dental practice consideration, 869
- Preoperative child(ren), 789-816
behavioral expectations for, 790-793
dental prevention and management in, 796-803
distraction, 797
pharmacologic management, 798-803
physical restraint, 797-798
preventing need for invasive treatment, 796
selecting management strategy, 796-797
dentist's expectations for, 793
management by general anesthesia, 803-814
parent expectation for child and dentist behavior, 791-792
parent presence during examination and treatment, 792-793
perspective of, 791
sedation for, 808-809
uncooperative behavior in, causes of, 793-796
inappropriate aversive techniques, 795
ineffective communication, 793-794
inefficient technical management, 796
need for pain control or sedation, 794

- Precooperative child(ren) (*Continued*)
 parent-child separation, 794-795
 unacknowledged potential for noncompliance, 794
 unrealistic treatment goals, 794
- Prefigurative child, preschool, misbehavior of, 780
- Prematurities, elimination of, with occlusal adjustment, 444
- Premedication appointment instructions, pediatric, 802
- Premolars, extraction of, and temporomandibular disorders, 366
- Preschool child(ren). See also *Precooperative child(ren)*.
 behavior management in, domains of, 772-775
 aversive, 773
 linguistic, 774-775
 physical, 772-773
 reward-oriented, 773-774
 cooperative, managing behavior in, 771-787
 delivery of services to, 899-902
 barriers to, 904-905
 attitude, 905
 financial, 904
 physical, 904-905
 delivery system characteristics, 899-900
 manpower trends and future concerns, 900-902
 numbers and types of dentists, 899-900
 delivery systems for, 897-907
 dental health in, 695-707
 dental prevention in, 738
 dental services for, financing of, 902
 need and use of, 887-896
 recommendations for, 905-906
 special patient populations, 890
 unmet needs in, 903-904
 use of, 891-894, 898-899
 dental insurance, 892-894
 dental visits, 891-892
 preventive dental practices, 893-895
 treatment sites, 899
 types of services provided, 898-899
 visits to dentist, 898
 oral health of, programs aimed at, 882
 Early and Periodic Screening, Diagnosis, and Treatment, 882-883
 federal service programs, 883
 head start, 882
 Medicaid, 882
 oral health policies and programs affecting, 877-885
 organizational arrangements for, 902-903
 periodontal and soft-tissue abnormalities in, 837-850. See also under *Periodontal*.
 personality development in, 771-787
 protective fears of, 778
 restorative dentistry for, 737-770
 disking tooth structure, 744-745
 material in, 739-742
 adhesively bonded full-resin composite crown, 748-753
 molar pit and fissure sealant, 746
 resin-composites, 740-741
 resin-modified glass-ionomer cement, 747-748
 smooth surface restorations, 746-747
 smooth surface sealants, 745
 stainless steel crowns, 740
 rubber dam use in, 739, 742-743
 safety and comfort in, 738-739
 traumatic injuries in, 817-835. See also *Traumatic injuries*.
 Presyncope, in dental anxiety, clinical manifestations of, 528
 Preventive dental practices, by preschool children, 893-895
 Prilocaine, maximum dose of, 598-599
 Primary teeth, displaced, in preschool children, 823-827
 consequences of, 824-826
 follow-up on, 825
 pathologic changes in, 825-826
 trauma to, management of, 133-167
 sequelae and treatment of, 154-158
 Promethazine, for child sedation, 804, 808
 Prosthodontics, occlusion and, 313-333
 Protrusive movements, in occlusal adjustment, 451, 456-457
 Pseudo centric relation, occlusal interference and, 319
 Pseudoallergy, definition of, 578
 treatment algorithm for, 584
 Pseudomembranous colitis, with antibiotics, 607
 Pterygoid "window," anesthetic injection of, for temporomandibular disorders, 464
 Pulmonary disease, chronic obstructive, respiratory emergencies in, 546-548
 Pulmonary edema, respiratory emergencies in, 548-550
 steps in treatment of, 551
 Pulp. See *Dental pulp*.
 Pulpotomy, for complicated crown fractures, 42-45
 of central incisor, 830

- of central incisor avulsion, contraindications to, 828
- Pulpotomy, zinc oxide/eugenol, for primary molar, 762-767
- Pulse oximetry, for pediatric general anesthesia, 813-814
- Pulseless electrical activity, pediatric cardiovascular resuscitation for, 673
- Quinolones, adverse effects of, 609
- Radiography, for preschool children, policies/programs for, 880
- Range of movement, functional, in occlusal analysis, 384-386
- Reasonable patient approach, to informed consent, 206
- Rectal sedation, pediatric, 801
- Referral to specialist, following tooth trauma, 208-211
- Remineralization, effect of fluoride on, 714
- Replacement resorption, with attachment damage and pulp necrosis, 95, 97
- Replantation, of avulsed tooth, 98-99, 194-196
- Repositioning, surgical, for tooth fracture, 176-178
- Reprogrammer, for occlusal trauma management, 349
- Resin-composites, for preschool children, 740-741
- Resin-modified glass-ionomer restoration, in preschool children, 741-742, 747-748, 759-762
- Resins, composite, for tooth restoration, 356-359. See also *Composite resins*.
- Resistance exercises, for temporomandibular disorders, 471
- Respiratory compromise, and pediatric cardiopulmonary arrest, 665
- Respiratory difficulty, signs and symptoms of, 542
- Respiratory emergencies, 541-554
 - mechanical vs physiologic, 543
 - specific, 543-554
 - airway obstruction, 550-554
 - asthma, 543-546
 - chronic obstructive pulmonary disease, 546-548
 - pulmonary edema, 548-550
- Restoration, of avulsed tooth, permanent, 109
 - temporary, 108
- Restorative dentistry, for preschool children, 737-770. See also *Preschool child(ren)*.
 - for trauma from occlusion, 335-354
 - materials of, 355-361
 - occlusal adjustment in, 442-443, 457
- Resuscitation, in dentistry, Poswillo report on, 684
 - of pediatric patient, 663-676
- Retention, of stabilization appliance, 410-411
- Retrocuspid papillae, in preschool children, 843
- Retruded position. See *Centric relation*.
- Reward-oriented domain, of preschool child, behavior management in, 773-774
- Ribbon, for anterior fracture splinting, 195-196
- Risks, disclosure of, with emergency treatment of trauma, 205-206
- Root(s), angulation of, following trauma, 162
 - changes in, trauma from occlusion and, 395
 - duplication of, following trauma, 162
 - extrusion of, in traumatized teeth, 169-179
 - fractures of, in children, 148-154, 822-823
 - fragment separation in, 152-153
 - healing potential of, 153
 - prognosis of, 152
 - radiographic visualization of, 151
 - root resorption in, 154
 - splinting of, 152
 - transverse, 53-78
 - clinical and radiographic diagnosis of, 53-55
 - clinical management of, coronal segment mobility in, 58-60
 - position of fracture line in, 63-74
 - status of pulp in, 60-63
 - summary of, 62
 - tooth position and, 58
 - nature of fracture line, 55-57
 - nonvital apical segment in, 65
 - orthodontic extrusion in, 66-67, 69, 72, 75-76
 - prognosis for viability in, 74
 - tooth loss in, 68
 - union of, 56-57
 - zones of, 65
 - vertical, following transverse root fracture, 71
- preparation of, in avulsed tooth, 101-103
- resorption of, post-traumatic, in children, 154
- of central incisors, 158

Root(s) (*Continued*)

- with attachment damage and pulp necrosis, 94-96
- Root canal treatment, of central incisor, 830
 - of central incisor avulsion, 828
- Rooting reflex, 852
- Rubber dam, use in preschool children, 739, 742-743
- Salicylism, with aspirin overdose, 612
- Sealants, for dental caries prevention in children, 715-716
- Sedation, conscious, of preoperative child, 798-799
 - in dentistry, Poswillo report on, 684
 - of preschool children, policies/programs for, 881
 - pediatric, agents for, 802-806
 - dosage selection in, 802-803
 - routes of administration of, 800-801
- Sedatives, toxicity of, 613-614
- Seizure(s), 570-574
 - benzodiazepines for, 518-519
 - classification of, 571
 - drugs for, 572
 - known causes of, 571
 - questions to ask in, 573
 - type of, drug treatment by, 573
- Sensitivity test, with tooth avulsion, 107
- Sexual child abuse, findings in, 633
- Shofu articulator, 276
- Silver-cermet restoration, amalgam restoration vs, 758
- Skeletal injuries, in child abuse, 630-632
- Smooth surface restorations, in preschool children, 746-747
- Smooth surface sealants, for preschool children, 745
- Socioeconomic factors, and dental caries in children, 711
- Socket preparation, with tooth avulsion, 103
- Sodium bicarbonate, for pediatric cardiovascular resuscitation, 672
- Sodium hypochlorite, allergic reaction to, 643
- Soft tissue, abnormalities of, in preschool children, 837-850
 - and need for dental care, 890
 - benign tumors, 844-845
 - fibroma, 845-846
 - hemangioma, 844-845
 - lymphangioma, 845
 - mucocoele, 845

- congenital, 843
- developmental, 843-844
 - fissured tongue, 843
 - geographic tongue, 843
 - gingival fibromatosis, 843-844
 - retrocurved papillae, 843
- hematologic diseases, 849
- infectious diseases, 846-849
 - candidiasis, 848
 - coxsackievirus, 847
 - hand-foot-and-mouth disease, 847
 - herpesvirus, 846-847
 - human immunodeficiency virus, 849
 - impetigo, 848
 - recurrent aphthous ulceration, 847-848
- odontogenic cysts, 845-846
 - eruption cyst, 845-846
 - hematoma, 845-846
 - parulis, 845
- changes in, trauma from occlusion and, 395
- examination of, in occlusal analysis, 382
- management of, with tooth avulsion, 104
- Space maintainer, fixed unilateral, in preschool children, 767-769
- Special needs child, dental care for, 704
- Splint form, of stabilization appliance, 411-412
- Splint wax-up, for maxillary occlusal bite plane splint fabrication, 428-430
 - flasking of, 431-439
- Splinting, for transverse root fracture, 58-60
 - of avulsed tooth, 103-104
- Sporting activities, and tooth trauma, 3-5
- Spouse abuse, 622-626
 - characteristics of, 622-623
 - cyclic nature of, 623
 - documentation and reporting of, 625
 - establishing diagnosis in, 624
 - historical perspectives on, 622
 - medical examination in, 624
 - providing safe environment in, 624
 - referral in, 625-626
 - role of health professional in, 623-624
 - treating emotional injury in, 624
 - treating physical injury in, 625
- Stabilization, appliances for, 367-368
 - stability of, 410-411
- bite splint for, 403-421
 - case report on, 416-420
 - characteristics of, 404
 - clinical use of, 412-415
 - adjustments of, 413
 - delivery of, 412-414
 - patient instruction in, 414

- contraindications to, 410
- criteria for, 410-412
- full coverage, advantages and disadvantages of, 408
- indications for, 407-410
 - bruxism, 407-408
 - diagnosis, 409
 - maxillary vs mandibular, 410
 - prerestorative and postrestorative, 409
 - provisional use of, 410
 - temporomandibular disorders, 408
- patient information sheet on, 415
- Stainless steel crowns, for preschool children, 740
- Standard of care, in emergency dental treatment of trauma, 203
- Status epilepticus, management of, 571
- Stomatitis, herpetic, in preschool children, 847
- Streptococcus mutans*, and dental caries in children, 710
- Stretching against resistance, for temporomandibular disorders, 472-473
- Stroke, emergency management of, 568-570
 - risk factors for, 568
- Subcutaneous sedation, pediatric, 801
- Subgingival coronal fractures, management of, 169-179
- Subluxation injury(ies), 22, 83
 - in children, 138
 - of lower right central incisor, 81
 - sequelae of, 86
- Submucosal sedation, pediatric, 801
- Sucking, non-nutritive, effects of, 853-855
- Sucking reflex, 852
- Suckling, 852
- Suction unit, for emergency oxygenation, 512
- Sugar, for emergency hypoglycemia therapy, 517-518
- Sugar consumption, and dental caries in children, 710
- Superficial heat, for temporomandibular disorders, 467-468
- Supplies, disease transmission by, 641-644
- Surface resorption, with attachment damage and pulp necrosis, 94
- Surgical, for hemostasis, 658
- Swallowing, development of, 853
- Sympathetic nervous system, receptors of, 601
- Syncope, classification and causes of, 526
 - in dental anxiety, 525-531
- vasodepressor, 526-527. See also *Vasodepressor syncope*.
- vasovagal, aromatic ammonia for, 516-517
- Tachycardia, in dental practice, 560-561
- Tachydysrhythmias, in dental practice, 560-561
- Tachypnea, in respiratory distress, 542-543
- Teeth, growth and development of, habits affecting, 851-860
- Temporal arteritis, in temporomandibular disorders, 398
- Temporomandibular disorders, 246-250
 - anterior repositioning devices for, 248-249
 - Costen's syndrome in, 247
 - diagnosis of, 249, 289
 - distal displacement of condyles in, 247-248
 - dynamic occlusal relationships and, 292-296
 - Eagles syndrome in, 398
 - epidemiology of, 285-288
 - etiology of, 246-247
 - functional occlusal relationships and, 286-288
 - headache in, 397-398
 - historical perspective on, 247
 - imaging of, 249-250
 - injections for, 465
 - internal joint derangement in, 248
 - loss of vertical dimension in, 247
 - medical referral for, 399
 - muscle disorders and, 294-295
 - occlusal analysis for, 396-399
 - occlusal bite plane splint for, 248
 - occlusal factors in, 287-289, 296
 - anterior open bite, 290
 - findings in patient populations, 290-292
 - missing posterior teeth, 291-292
 - occlusal slides, 291
 - overjet, 291
 - unilateral maxillary lingual crossbite, 291
 - orthodontic treatment of, 365-367
 - case history of, 369-376
 - arch alignment, 371-372
 - post-treatment analysis of, 375-376
 - pretreatment analysis of, 370-371
 - procedures for, 371-376
 - progress view of, 374
 - tripod splint for, 373
 - otitis in, 398-399
 - paranasal sinusitis in, 399

Temporomandibular disorders (*Continued*)

- patient management in, 250
- stabilization appliance for, 408
- static occlusal relationships and, 286
- supportive conservative therapies for, 336, 459-477
 - external biofeedback, 474-476
 - pharmacologic agents, 460-465
 - analgesics, 460-462
 - corticosteroids, 462
 - injections, 463-465
 - muscle relaxants, 462-463
 - physical agents, 465-474
 - cold, 469-470
 - electrostimulation, 473-475
 - heat, 466-469
 - therapeutic exercises, 470-472
 - therapeutic contact, 476
 - temporal arteritis in, 398
 - trigeminal neuralgia in, 398
- Temporomandibular joint(s), centric relation determination by, 318
- disorders of. *See* Temporomandibular disorders.
- dysfunction of, occlusal adjustment in, 443, 457
- occlusal analysis of, palpation, 384
- radiographic examination, 389-391
- sound detection, 385
- position of, definition of, 344-345
- Tenderness, classification of, in occlusal analysis, 382-384
- Tetanus immunization, with orofacial trauma, in children, 135
- Theophylline, for severe asthma, 546
- Therapeutic contact, for
 - temporomandibular disorders, 476
- Thorazine, for child sedation, 805
- Thrombin, for hemostasis, 659
- Thrombocytopenia, laboratory values in, 656
- Thumb sucking, effects of, 853-855
 - treatment of, 855
- Tissue fluid, disease transmission by, 637-640
- Tomography, for occlusal analysis, 391
- Tongue habits, and maxillofacial growth and development, 856-857
- Tongue thrusting, identification of, 348-351
- Tooth (teeth), anterior, avulsion of, in preschool children, 827-829
 - with replantation, 194-196
 - without replantation, 196-197
- fracture of, without replantation, 196-197
- traumatic injuries to, 182-197
 - aesthetic management of, 181-202
 - Ellis classification of, 182
 - restorative technique for, 185-190
- avulsed, 22-23, 93-112
 - biologic considerations in, 93-97
 - clinical management of, adjunctive therapy, 104-106
 - diagnosis and treatment planning, 100-101
 - follow-up care, 109
 - in dental office, 100-109
 - outside dental office, 98-99
 - permanent restoration, 109
 - root preparation, 101-103
 - socket preparation, 103
 - soft tissue management, 104
 - splinting, 103-104
 - summary of, 109-110
 - temporary restoration, 108-109
 - in preschool children, treatment of nonvital teeth, 828-829
 - incidence of, 93
 - treatment objectives in, 98
- color change in, following trauma, in children, 154-155
- concussion to, 21-22
- crowns of, fracture of, at gingival line, 192-193
 - restoration of, 186-187
- injury to, 18, 20-221
- decayed, missing, and filled, rates in children, 889
- developing, trauma to, management of, 133-167
- displacement of, 22
- endodontically treated, crown fracture of, 190-194
- formation of, arrest of, following trauma to primary dentition, 163
- fracture of, extraction for, 178
- luxation vs, 171
 - subgingival, diagnosis of, 170-172
 - treatment of, 172-178
- surgical repositioning for, 176-178
- trauma from occlusion and, 395
- intra-alveolar transplantation of, following transverse root fracture, 67, 74
- luxation injuries of, 79-91. *See also* Luxation injury(ies).
- mobility of, analysis of, 387
 - with trauma from occlusion, 305, 394-395
- pain in, trauma from occlusion and, 394
- porcelain, for restoration, 355-356
- posterior, missing, with
 - temporomandibular disorders, 291-292
- primary and developing, trauma to, 133-167

- luxation and exarticulation, 137-146
 - prevalence, cause, and demographics in, 136-137
- reshaping of, guidelines for, 349
- restoration of, amalgam for, 359-360
- composite resins for, 356-359
- porcelain for, 355-356
- roots and supporting structures of, injury to, 19, 21
- subluxation of, 22
- trauma to, 1-13. See also *Traumatic injuries*.
 - cause and incidence of, 2-7
 - assaults/altercations, 6
 - domestic violence, 2
 - falls/collisions, 5-6
 - moving vehicle accidents, 6
 - predisposing factors, 7
 - sporting activities, 3-5
 - classification of, 7-8
 - complications of, 20
 - diagnosis/misdiagnosis of, 208-211
 - evaluation, diagnosis, and treatment of, 15-24
 - failure to refer to specialist, 208-211
 - periodontal management of, 169-179
 - posttrauma evaluation and problems, 23
 - posttreatment management of, legal considerations in, 213
 - prevention of, 9-11
 - early recognition and treatment, 10-11
 - mouth protectors for, 10-11
 - philosophy, legislation, and education, 9
 - pulp protection following, 27-28
 - treatment of, informed consent in, 204-208
 - legal considerations for, 203-219
 - standard of care in, 203
 - vitality measurement of, 26-27
 - wear of, trauma from occlusion and, 395
- Tooth brushing, and dental caries in children, 711
- Tooth loss, in preschool children, 838-842
- Total quality management, as dental practice consideration, 867-869
- Toxicity, definition of, 596
- Toxicologic emergencies, 595-619
- Transcranial radiograph, for occlusal analysis, 391
- Transient ischemic attacks, 569
- Trauma, from occlusion, 301-311, 335-354
 - and inflammatory periodontal disease, 304-305
 - definitive restorative treatment for, 351-353
 - diagnosis of, 306-307, 339-343, 394-395
 - guidelines for differential diagnosis, 342-344
 - screening examination/history, 342
 - effects of, 335-337
 - in premolars, 340
 - maxillary occlusal prosthesis for, 351
 - occlusal adjustment in, follow-up of, 457
 - treatment of, 307-309, 347-351
- Traumatic injuries, in preschool children, 817-835
 - avulsions, 827-829
 - classification and treatment of, 821-827
 - concussions, 823
 - crown fractures, 821-822
 - displaced primary teeth, 823-827
 - root fractures, 822-823
 - clinical evaluation of, 817-821
 - child abuse, 821
 - extraoral evaluation, 818-820
 - history of accident, 818
 - intraoral evaluation, 820-821
 - medical history, 818
 - considerations in, calcification of root canals, 832-833
 - damage to developing permanent teeth, 833-834
 - primary incisor discoloration, 829-832
- Traumatic ulcer, in preschool children, 849
- Triazolam, for child sedation, 805, 808-809
- Tricyclics, interactions with vasoconstrictor in local anesthesia, 603-606
- Trigeminal neuralgia, in temporomandibular disorders, 398
- Tuberculosis, airborne transmission of, 640-641
- Universal precautions, with emergency treatment of trauma, 210
- Upper lip, soft-tissue injury of, in preschool child, 819
- Valium, for child sedation, 805
- Vascular access, for circulatory compromise in child, 669
- Vascular disorders, and defects of hemostasis, 652
- Vascular headache, toxic, in temporomandibular disorders, 397

- Vasoconstrictor, in local anesthesia,
 - contraindications to, 601-602
 - drug interactions with, 603-606
 - overdose of, 600-603
 - management of, 602-603
 - pathophysiology of, 602
 - signs and symptoms of, 602
- Vasodepressor syncope, in dental anxiety,
 - 526-527
 - clinical management of, 528-531
 - differential diagnosis, 530
 - disposition and definitive treatment, 531
 - evaluation, 530
 - initial treatment, 530-531
 - prevention, 528-529
 - stabilization, 529-530
 - clinical manifestations of, 527-528
 - pathophysiology of, 527
- Vasodilators, for pulmonary edema
 - secondary to heart failure, 550
- Veneers, porcelain, for anterior tooth
 - restoration, 190
- Ventricular fibrillation, pediatric
 - cardiovascular resuscitation for, 673-674
- Ventricular tachycardia, pulseless,
 - pediatric cardiovascular resuscitation for, 673-674
- Versed, for child sedation, 806
- Vistaril, for child sedation, 804
- Vitality testing, of injured tooth, 26-27
- Vitamin K, for hemostasis, 659
- von Willebrand's disease, 653
 - laboratory values in, 656
- Warfarin, use in stroke patient, 569
- Whip Mix articulator, 276
- Working cast, for maxillary occlusal bite
 - plane splint fabrication, 423-427
- Working interference, in occlusal
 - adjustment, 449, 454-456
- Yankauer suction, for emergency
 - oxygenation, 513
- Zidovudine, for human immunodeficiency
 - virus prophylaxis, 639
- Zinc oxide-eugenol, for root canal
 - treatment, 831

